

Rutgers University, New Jersey Agricultural Experiment Station

2013 Tomato Disease Forecasting Report

August 16, 2013

A. Wyenandt, W. Kline, J. Ingerson-Mahar

| | Northern New Jersey | | | | | | Central New Jersey | | | | | | Southern New Jersey | | | | | | | |
|------|---------------------|-------|---------------|-------|-----------|-------|--------------------|-------|-------------|-------|---------------|-------|---------------------|-------|-----------|-------|-----------------|-------|----------|-------|
| | Pequest | | Basking Ridge | | Pittstown | | Farmingdale | | Cream Ridge | | New Brunswick | | Mt. Holly | | Hammonton | | Upper Deerfield | | Woodbine | |
| Date | Daily | Total | Daily | Total | Daily | Total | Daily | Total | Daily | Total | Daily | Total | Daily | Total | Daily | Total | Daily | Total | Daily | Total |
| 8/12 | 2 | 86 | 2 | 114 | 2 | 104 | 0 | 88 | 2 | 101 | 2 | 131 | 2 | 112 | 2 | 113 | 2 | 115 | 1 | 86 |
| 8/13 | 2 | 88 | 3 | 117 | 2 | 106 | 3 | 91 | 3 | 104 | 3 | 134 | 1 | 113 | 3 | 116 | 3 | 118 | 2 | 88 |
| 8/14 | 1 | 89 | 1 | 118 | 0 | 106 | 1 | 92 | 0 | 104 | 0 | 134 | 6 | 119 | 1 | 117 | 1 | 119 | 1 | 89 |
| 8/15 | 0 | 89 | 0 | 118 | 0 | 106 | 0 | 92 | 0 | 104 | 0 | 134 | 0 | 119 | 0 | 117 | 1 | 120 | 0 | 89 |

- Late blight was found on potato and processing tomato in Salem county on 7/2 and in organic tomato in Mercer County. Late blight has also been detected in DE, VA and MD in recent weeks. Scouting on a regular basis is highly recommended. All potato and tomato growers who have not initiated a standard protectant fungicide program should do so. All growers should also consider adding a late blight specific fungicide to their programs as long as current weather patterns continue.
- All late blight development updates are being posted under the [Vegetable Crop section of the Plant and Pest Advisory](#).
- To track late blight in the US please visit <http://usablight.org/>